Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

SMALLPOX IN THE UNITED STATES—Continued

Reports Received from December 31, 1910, to January 13, 1911

Place	Date	Cases	Deaths	Remarks
Wisconsin:				
Chippewa County	Dec. 1-31	3		
Dunn County	Dec. 1-31	4		
Iowa County	Dec. 1-31	22		
Jefferson County	Dec. 1-31	6		
Lafayette County	Dec. 1-31	5		
La Crosse County	Dec. 1-31	1		
Milwaukee County	Dec. 1-31	5		
Oneida County	Dec. 1-31	1		
St. Croix County	Dec. 1-31	1		
Vilas County	Dec. 1-31	1		
Washington County	Dec. 1-31	1		
Total for State		50		
Grand total for the United States		531	2	

MORBIDITY AND MORTALITY

MORBIDITY AND MORTALITY TABLE, CITIES OF THE UNITED STATES, FOR WEEK ENDED DECEMBER 31, 1910

Cities	Population, United States census, 1910	Total deaths from all causes	Diphtheria		Measles		Scarlet fever		Smallpox		Tuberculosis		Typhoid fever	
			Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
Cities having over 500,000 inhabitants														
Baltimore, Md	558,485	200	37	4	67	1	23				23	29	18	1
Boston, Mass	670,585	232	51	4	55		33	1			52	22	9	
Chicago, Ill	2,185,283	669	156	15	80	3	163	13	3		111	66	29	4
Cleveland, Ohio	560,663	164	31	7	16		40	2			17	15	4	2
New York, N. Y	4,766,883	1,666	236	25	228	7	338	11			527	180	42	10
Philadelphia, Pa	1,549,008	554	76	19	187	19	60	7		1	76	55	22	9
Pittsburg, Pa	533,905	189	18	3	12		41	5			20	16	13	
St. Louis, Mo	687,029	255	33	1	204	3	66	2	4		37	23	9	1
Cities having from 300,000 to 500,000 inhabitants														
Buffalo, N. Y	423,715	83	36	2	9		42	4			15	4	11	3
Cincinnati, Ohio	364,463	137	11	3	4		20	1	1		28	20	1	
Detroit, Mich	465,766	136	23	4			17							1
Los Angeles, Cal	319,198	122	4	2	3		22				14	27	4	
Milwaukee, Wis	373,857		25	3	2		43	1	1		9	10	5	1
Newark, N. J	347,469	151	39	6	15						7	16	3	1
New Orleans, La	339,075	161	9		49		15		18		22	18	3	
San Francisco, Cal	416,912	106	7	1	11		8		2		34	12	5	
Washington, D. C	331,069	140	7		3		12				19	16	11	1
Cities having from 200,000 to 300,000 inhabitants														
Jersey City, N. J	267,779	107	18	2	47		14				2	12		
Providence, R. I	224,326	73	7				13	2			4	9	1	
Seattle, Wash	237,194													
Cities having from 100,000 to 200,000 inhabitants														
Bridgeport, Conn	102,054	30	1		1		1				27	4		
Cambridge, Mass	104,839	28	16	4	11		5				9	2		1
Columbus, Ohio	181,548	67	1	1	2		4				9	7		
Dayton, Ohio	116,577	45	2				2				2	3	1	
Fall River, Mass	119,295	36	6	1			3				13	3	1	
Grand Rapids, Mich	112,571	38	2		161		10				1	2	1	

MORBIDITY AND MORTALITY—Continued

Morbidity and mortality table, cities of the United States, for week ended December 31, 1910—Continued

Cities	Population, United States census, 1910	Total deaths from all causes	Diphtheria		Measles		Scarlet fever		Smallpox		Tuberculosis		Typhoid fever	
			Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
Cities having from 100,000 to 200,000 inhabitants—Continued														
Lowell, Mass	106,294	41	2		1		6				6	1	1	
Nashville, Tenn	110,364	38	5		32		5				1	4		
Oakland, Cal	150,174	48	2						1		7	4	6	
Spokane, Wash	104,402	29	5		9		4					2	1	
Toledo, Ohio	168,497	37	10	2			11	2				4	6	
Worcester, Mass	145,986	37	11				5				4	2		
Cities having from 50,000 to 100,000 inhabitants														
Allentown, Pa	51,913	14	2		3						1			
Altoona, Pa	52,127	21	5	2			2				2	2		
Bayonne, N. J	55,545		5				1				2	1		
Brockton, Mass	56,878	12			33		1				2			
Camden, N. J	94,538		10	2	65		3				2			
Canton, Ohio	50,217	6					1							
Covington, Ky	53,270	14	2				4				1	1	1	
Duluth, Minn	78,466													
Elizabeth, N. J	73,409	21	1		1		7					3		
Erie, Pa	66,525	16	2		1		12	1			4		17	1
Evansville, Ind	69,647													
Hartford, Conn	98,915													
Hoboken, N. J	70,324		4	1	4									
Houston, Tex	78,800	36							1			5		
Jacksonville, Fla	57,699	25	1		4		1	9	1		1	3	3	
Johnstown, Pa	55,482	23	4				4					2	2	1
Kansas City, Kans	82,331	40	3				9		4			2	10	1
Lawrence, Mass	85,892	37	2	1	3	1	3				2	3		
Lynn, Mass	89,336	23	6		13		3	1			5	2	2	1
Manchester, N. H	70,063	17									1	1		1
New Bedford, Mass	96,652	39	1		1		4				1	2	1	
Reading, Pa	96,071	36	1		6		12				1	4	5	
Salt Lake City, Utah	92,777	28	15	1	35		4		7					
San Antonio, Tex	96,614	8	2				2					7	5	1
Schenectady, N. Y	72,826	23	2				3				1	2	1	
Somerville, Mass	77,236	23	8		8		6				2	4		
South Bend, Ind	53,684	14	1		2		4							
Springfield, Mass	88,926	27	6	2	4		13				2	2	2	
Tacoma, Wash	83,743	23	3		2		2						1	1
Terre Haute, Ind	58,157	18	1		1		6							
Trenton, N. J	96,815	4	4				1				2	4		
Wichita, Kans	52,450	14	5		5		1				1			
Wilkes-Barre, Pa	67,105	30	7				3				1			
Wilmington, Del	87,411													
Yonkers, N. Y	79,803	33	6		1		14				4	3	2	
Cities having from 25,000 to 50,000 inhabitants														
Auburn, N. Y	34,668													
Aurora, Ill	29,807													
Berkeley, Cal	40,434													
Binghamton, N. Y	48,443	11	4	1	8						2	1	1	
Charlotte, N. C	34,014	8					1						3	
Chattanooga, Tenn	44,604						1				2			
Chelsea, Mass	32,452	9	3		1		1							
Chicopee, Mass	25,401	6	3								1		2	
Council Bluffs, Iowa	29,292	4	1		1								2	
Danville, Ill	27,871	8	2				3				1	1		
Dubuque, Iowa	38,494													
El Paso, Tex	39,279	29					2		2		10	8		
Elmira, N. Y	37,176	14					2				1			
Everett, Mass	33,484	7	1				1				1			
Haverhill, Mass	44,115		6	2			3	2			1			
Kalamazoo, Mich	39,437													
Kingston, N. Y	25,908	9			45							1		
Knoxville, Tenn	36,346	21	2		58	1			2		3			

MORBIDITY AND MORTALITY—Continued

Morbidity and mortality table, cities of the United States, for week ended December 31, 1910—Continued

Cities	Population, United States census, 1910	Total deaths from all causes	Diphtheria		Measles		Scarlet fever		Smallpox		Tuberculosis		Typhoid fever	
			Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
Cities having from 25,000 to 50,000 inhabitants—Continued														
La Crosse, Wis	30,417													
Lancaster, Pa	47,227	17	1		1		1				2		1	
Lexington, Ky	35,099	19			2							3	1	1
Lynchburg, Va	29,494		1				3							
Malden, Mass	44,404	19	1				5				2	1	2	
Montgomery, Ala	38,136	15	1				2		1			2		
Mount Vernon, N. Y	30,919	14	1		1		8				1			
Newport, Ky	30,309	11	1				2				1	1		
Newton, Mass	39,806	10	3		3		4	1						
Niagara Falls, N. Y	30,445		6	1					1				1	
Norristown, Pa	27,875	12					1				1	3	2	
Orange, N. J	29,630	13	1				4				1	1		
Pittsfield, Mass	32,121	25			43	2	1				1			
Portsmouth, Va	33,190	12	1		1		2	1	5					
Roanoke, Va	34,874	10	3				2				2	2	2	
Sacramento, Cal	44,696													
Superior, Wis	40,384	15	5				2					1		2
Taunton, Mass	34,259	13	2	1			1				1	1	1	
Topeka, Kans	43,684													
Waltham, Mass	27,834	7	2				1				1		2	
Wheeling, W. Va	41,641	20									7	1	8	1
Williamsport, Pa	31,860	8	3		1		4					1		
York, Pa	44,750		5										2	
Cities under 25,000 inhabitants														
Ann Arbor, Mich	14,817	9					2							
Ashtabula, Ohio		4												
Beaver Falls, Pa	12,191		2										3	
Bedford, Ind														
Bennington, Vt		4					1							
Biddeford, Me		18										2		
Braddock, Pa	19,357	10	4		3		2	1						
Butler, Pa	20,728	5												
Cambridge, Ohio	11,327	5	1										2	
Camden, S. C		1	1											
Carbondale, Pa	17,040	2	1											
Clinton, Ind														
Clinton, Mass	13,075	9	3								1	1		
Coffeyville, Kans	12,687	6									1		2	
Columbus, Ga														
Columbus, Ind		2					1							
Concord, N. H		8										1		
Covington, Ohio					2									
Cumberland, Md	21,839						1					1	19	2
Dunkirk, N. Y		7	1		1		2	2						
Elyria, Ohio														
Freeport, Ill	17,567	4												
Galesburg, Ill		3	1				2							
Gloucester, Mass		8												
Greensboro, N. C	15,895	10					2							
Harrison, N. J	14,498	2	1				1							
Hyde Park, Mass	15,507	4		1	4									
Kearney, Nebr														
Kearny, N. J	18,659	9	1		3						1	1		
Kokomo, Ind	17,010													
La Fayette, Ind	20,081	3												
Lebanon, Pa	19,240	5												
Madison, Ind		3												
Manistee, Mich	12,381													
Manitowoc, Wis		4	1											
Marinette, Wis		5	1										3	1
Marlboro, Mass	14,579	2												
Massillon, Ohio		4	1											
Medford, Mass	23,150	5					1							
Melrose, Mass	15,715	3	1										1	
Moline, Ill	24,199	10	3			1	2							

MORBIDITY AND MORTALITY—Continued

Morbidity and mortality table, cities of the United States, for week ended December 31, 1910—Continued

Cities	Population, United States census, 1910	Total deaths from all causes	Diphtheria		Measles		Scarlet fever		Smallpox		Tuberculosis		Typhoid fever	
			Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
Cities under 25,000 inhabitants—Continued.														
Montclair, N. J.	21,550	9	1				2				1	1		
Morristown, N. J.	12,507	8	2	2	1		3							
Nanticoke, Pa.	18,877	7	1											
Newburyport, Mass.	14,949	6	2									1		
North Adams, Mass.	22,019	3	1		7									
Northampton, Mass.	19,431	8									2			
Ottumwa, Iowa	22,012	9						2						
Paducah, Ky.	22,760													
Palmer, Mass.		5												
Peekskill, N. Y.		7												
Plainfield, N. J.	20,550	4	1		2						5			
Portsmouth, N. H.			1		2									
Pottstown, Pa.	15,599	7					5						2	
Rock Island, Ill.		9					1							
Rutland, Vt.	13,546						1							
Saratoga Springs, N. Y.		4									2			
South Bethlehem, Pa.	19,973	11			1							1		
Steelton, Pa.	14,246	4	1								3			
Warren, Ohio														
Wilkinsburg, Pa.	18,924	8									2		1	
Woburn, Mass.	15,308	8												
Zanesville, Ohio		6	1				3						3	

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated)

CONNECTICUT—*Stamford.*—Month of December, 1910. Population, 26,000. Total number of deaths from all causes not reported. Cases reported: Typhoid fever 3, measles 46, scarlet fever 2.

FLORIDA.—Week ended December 31, 1910. Reports from the State Board of Health show typhoid fever present in 2 localities (Pensacola and Tampa) with 7 cases, smallpox in 7 counties (Dade, Hillsborough, Jackson, Leon, Madison, Polk, and Walton) with 49 cases, diphtheria in 7 localities with 8 cases, malaria in 3 localities (Tampa, Plant City, Ybor City) with 17 cases, tuberculosis in 4 localities with 6 cases.

INDIANA—*Muncie.*—Month of December, 1910. Population, 24,005. Total number of deaths from all causes 24, including tuberculosis 4. Cases reported: Typhoid fever 5, measles 2, scarlet fever 12, diphtheria 2.

MICHIGAN.—Month of November, 1910. Population, 2,810,173. Total number of deaths from all causes 3,057, including typhoid fever 80, smallpox 53, measles 8, scarlet fever 24, diphtheria 55, tuberculosis 189. Cases reported: Typhoid fever 270 in 105 localities, smallpox 321 in 57 localities, measles 397 in 21 localities, scarlet fever 439 in 94 localities, diphtheria 295 in 60 localities, tuberculosis 108 cases.